

From: Von Pein, Rick <rvonpein@wm.com>
Sent: Monday, October 11, 2010 12:36 PM
To: Frey, Jesse <JFrey@wm.com>; Whelan, Joseph <JWhelan1@wm.com>; Lottig, Justin <JLottig@wm.com>
Subject: Fw: Waimanalo: Draft of Cell E-6 (Partial) CQA Report
Attach: CQA Report Cell E6_Partial_ed2_Comments Merged.doc

Sent from my BlackBerry Wireless Handheld

From: FSettepani@Geosyntec.com <FSettepani@Geosyntec.com>
To: Von Pein, Rick
Cc: HSharma@Geosyntec.com <HSharma@Geosyntec.com>
Sent: Mon Oct 11 17:16:55 2010
Subject: Waimanalo: Draft of Cell E-6 (Partial) CQA Report

Good afternoon Rick.

Our comments are in red.

Please let us know if there are questions.

Thank you.

Fabrizio.

From: Von Pein, Rick [mailto:rvonpein@wm.com]
Sent: Sunday, October 10, 2010 9:17 PM
To: Frey, Jesse; Whelan, Joseph
Cc: Lottig, Justin; Hari Sharma; Fabrizio Settepani
Subject: RE: Draft of Cell E-6 (Partial) CQA Report

Attached are my comments. Please make sure Geosyntec has reviewed before submitting to HDOH. You should have their comments by the end of the day Monday.

From: Frey, Jesse
Sent: Friday, October 08, 2010 9:03 PM
To: Whelan, Joseph; Von Pein, Rick
Cc: Lottig, Justin
Subject: Fw: Draft of Cell E-6 (Partial) CQA Report

See message below from Ron Boyle with AECOM. Please review and provide any comments you may have. The sooner comments are received the sooner the report will get submitted to DOH.

Thanks.

From: Boyle, Ron <Ron.Boyle@aecom.com>
To: Frey, Jesse
Sent: Fri Oct 08 22:55:32 2010
Subject: Draft of Cell E-6 (Partial) CQA Report

Hi Jesse,

As requested, attached is the text of the Cell E-6 (Partial) CQA Report for your review. We just received the Operations Layer AutoCAD topo file from Park, so we should have the as-built drawings and panel layout drawings completed late in the day Monday. If we can get your comments back by the end of the day on Monday, we should be able to make any final changes and make report copies on Tuesday.

Also, if you would like to see any of the Appendices, please let us know and we can e-mail them or upload to an FTP site.

Thanks

Ron Boyle, P.E.
Senior Engineer, Environment
D 808.356.5321 Cell 808.497.5941
ron.boyle@aecom.com
AECOM Technical Services
1001 Bishop Street, Suite 1600
Honolulu, HI 96813
T 808.523.8874 F 808.523.8950
www.aecom.com

Waste Management recycles enough paper every year to save 41 million trees. Please recycle any printed emails.